

Specifications and mass



You can find all information about our boats also on our website:


esseboats.ch 🛚

Engine




Construction	Epoxy sandwich glass	c/carbon
Total length	9.99 m	32.78 ft
Waterline length	9.40 m	30.84 ft
Max. width	2.55 m	8.36 ft
Displacement	2.300 kg	5070 lbs
Ballast	1030 kg	2271 lbs
Draught	1.90 m	6.23 ft
Reduced draught	1.55 m	5.58ft
Sail area in the wind	61 m ²	657 sq.ft
Rig	Carbon	
Gennaker	75–105 m²	807–1130 sq. ft
Gennaker boom	Carbon fibre	

Diesel or electric or hybrid Saildrive









Best Boatspeeds (kt)											
	4	6	8	10	12	14	16	20	25		
32.0	2.87	4.25	5.21	5.74	6.05	6.24	6.38	6.55	6.61		
36.0	3.26	4.76	5.69	6.18	6.44	6.62	6.76	6.92	7.01		
40.0	3.62	5.19	6.09	6.50	6.74	6.91	7.03	7.20	7.30		
45.0	4.00	5.65	6.45	6.80	7.02	7.18	7.30	7.48	7.59		
52.0	4.44	6.15	6.82	7.12	7.33	7.48	7.62	7.83	8.01		
60.0	4.82	6.51	7.11	7.39	7.61	7.80	7.96	8.23	8.45		
70.0	5.10	6.74	7.38	7.68	7.94	8.17	8.36	8.67	8.98		
80.0	5.23	6.83	7.54	7.92	8.24	8.49	8.71	9.14	9.60		
90.0	5.56	7.03	7.54	8.13	8.47	8.79	9.08	9.66	10.35		
100.0	5.71	7.17	7.69	8.13	8.64	9.08	9.46	10.23	11.19		
110.0	5.68	7.23	7.83	8.32	8.74	9.17	9.77	10.84	12.01		
120.0	5.42	7.07	7.90	8.47	8.95	9.46	10.00	11.26	12.84		
135.0	4.59	6.40	7.39	8.21	9.03	9.83	10.55	12.01	13.88		
150.0	3.44	5.08	6.45	7.31	8.06	8.86	9.87	12.52	15.13		
160.0	2.83	4.26	5.57	6.66	7.41	8.12	8.86	10.96	14.37		
170.0	2.48	3.75	4.96	6.10	6.98	7.66	8.35	10.03	12.97		
180.0	2.32	3.50	4.65	5.74	6.68	7.38	8.02	9.46	12.03		
Up.Vs	4.01	5.48	6.06	6.30	6.47	6.60	6.70	6.85	6.96		
Up.Bt	45.2	43.1	39.7	37.4	36.3	35.7	35.4	35.1	35.5		
Up.Vmg	2.83	4.00	4.66	5.01	5.21	5.36	5.47	5.60	5.67		
Dn.Vs	4.46	6.01	6.65	7.11	7.86	8.78	10.26	12.49	15.23		
Dn.Bt	136.8	140.3	147.4	153.4	153.0	150.9	146.8	150.2	155.1		
Dn.Vmg	3.25	4.62	5.60	6.36	7.01	7.67	8.59	10.84	13.82		

